#### Safety Data Sheet dated 19/1/2018, version 3

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Identification of the substance:

Trade name: 7776/A GRASSO PROTETTIVO

Trade code: 351904

1.2. Relevant identified uses of the substance or mixture and uses advised against: protective grease for industrial applications only

1.3. Details of the supplier of the safety data sheet

Company:

ALBESIANO SISA Vernici S.r.l. - Società con unico socio

Via Rigolfo 73 - 10028 - Trofarello (TO) - Italia

Tel: +39/0116493111 Fax: +39/0116493112

Competent person responsible for the safety data sheet:

Giovanni Rocco - info.albesiano@vonroll.com

1.4. Emergency telephone number:

Tel: +390116493111 (h. 8/12 ÷ 13/17 italian time)

Fax: +390116493112

"National Poisons Information Service (Birmingham Unit)

City Hospital

Dudley Rd - Birmingham

Tel: 844 892 0111

mail@npis.org"

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

. None

Hazard statements:

None

Precautionary statements:

P262 Do not get in eyes, on skin, or on clothing.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

351904/3 (1272/2008/EC)

Page n. 1 of 8





vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

>= 80% - < 90% Mineral base oil, severely refined

>= 12.5% - < 15% Quaternary Ammonium Compounds, bis(Hydrogenated Tallow Alkyl)Dimethyl, Salts with Bentonite

CAS: 68953-58-2, EC: 273-219-4

>= 0.25% - < 0.5% Alkylated Diphenylamines

4.1/C3 Aquatic Chronic 3 H412

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY. In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

351904/3 (1272/2008/EC)

Page n. 2 of 8





Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

None

**DNEL Exposure Limit Values** 

7776/A GRASSO PROTETTIVO

Consumer: 1.2 03 - Exposure: Human Inhalation - Frequency: Long Term, local effects - Notes:

Mineral base oil, severely refined, DMSO <3% m/m

Mineral base oil, severely refined

Worker Industry: 5.4 03 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.2 03 - Exposure: Human Inhalation - Frequency: Long Term, local effects

**PNEC Exposure Limit Values** 

N.A.

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

351904/3 (1272/2008/EC)

Page n. 3 of 8





None

Appropriate engineering controls:

None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Appearance and colour: High viscosity yellow / brown

Odour: Slight oil smell

Odour threshold: N.A.

Initial boiling point and boiling range: >200 °C (ASTM D 1160)

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.
Flash point: >220 °C
Evaporation rate: N.A.
Vapour pressure: N.A.
Solubility in water: N.A.
Solubility in oil: N.A.
Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: >300 (DIN 51794) °C

Decomposition temperature: N.A. Viscosity: N.A. Oxidizing properties: N.A.

9.2. Other information

Miscibility: N.A.
Fat Solubility: N.A.
Conductivity: N.A.
Substance Groups relevant properties N.A.

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the product:

7776/A GRASSO PROTETTIVO

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5 mg/l - Duration: 4h

Toxicological information of the main substances found in the product:

Mineral base oil, severely refined

a) acute toxicity:

351904/3 (1272/2008/EC)

Page n. 4 of 8





Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5000 mg/l - Duration: 4h

Alkylated Diphenylamines

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

#### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

7776/A GRASSO PROTETTIVO

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Notes: This assessment is based on the actual characteristics of the components and their combination, taking into account the information provided by the component suppliers

Endpoint: LC50 - Species: Microorganisms > 100 mg/l - Notes: This assessment is based on the actual characteristics of the components and their combination, taking into account the information provided by the component suppliers

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Notes: This assessment is based on the actual characteristics of the components and their combination, taking into account the information provided by the component suppliers

Mineral base oil, severely refined

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l

Endpoint: EC50 - Species: Daphnia > 10000 mg/l - Duration h: 48

Alkylated Diphenylamines a) Aquatic acute toxicity:

> Endpoint: LC50 - Species: Fish > 100 mg/l Endpoint: EC50 - Species: Daphnia > 100 mg/l

Endpoint: ErC50 - Species: Algae > 100 mg/l - Duration h: 96

diphenylamine - CAS: 122-39-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 3.79 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 2.3 mg/l - Duration h: 24

Endpoint: LC50 - Species: Fish = 5.1 mg/l - Duration h: 48 - Notes: Oryzias latipes

Endpoint: ErC50 - Species: Algae = 0.18 mg/l - Duration h: 72

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

351904/3 (1272/2008/EC)

Page n. 5 of 8





12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

#### **SECTION 14: Transport information**

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

ADR-Class: Not hazardous IATA-Class: Not hazardous IMDG-Class: Not hazardous

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

Ň.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)

Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 453/2010 (Annex II)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions:

351904/3 (1272/2008/EC)

Page n. 6 of 8





Directive 2012/18/EU ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directive 2012/18/EU (Seveso III):

15.2. Chemical safety assessment

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H412 Harmful to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

European Agreement concerning the International Carriage of ADR:

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

Derived No Effect Level. DNEL:

**EINECS:** European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

Lethal concentration, for 50 percent of test population. LC50:

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

Regulation Concerning the International Transport of Dangerous Goods RID:

by Rail.

Short-term exposure. STE: STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

351904/3 (1272/2008/EC)

Page n. 7 of 8





TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.

351904/3 (1272/2008/EC) Page n. 8 of 8



